

As V. Spot. 10.0kV x2000.0 100µm  
15.0kV 40° 200k 8.35e-13 2.4mm x1.0mm 75.0um x1.0mm



FIG.2A





FIG.2B





Blakely, Sokoloff, Taylor & Zafman LLP (310) 207-3800  
Title: POSITIVE ACTIVE MATERIAL FOR RECHARGEABLE LITHIUM BATTERY AND METHOD  
PREPARING SAME  
1st Named Inventor: Ho-Jin Kweon  
Application No.: 10/041,921 Docket No.: 3364P009C  
Sheet: 3 of 7 "REPLACEMENT SHEET"

FIG.5A





FIG.5B





Blakely, Sokoloff, Taylor & Zafman LLP (310) 207-3800  
Title: POSITIVE ACTIVE MATERIAL FOR RECHARGEABLE LITHIUM BATTERY AND  
METHOD OF PREPARING SAME  
1st Named Inventor: Ho-Jin Kweon  
Application No.: 10/041,921 Docket No.: 3364P009C  
Sheet: 4 of 7 "REPLACEMENT SHEET"

FIG.18





FIG.19






FIG. 24



Blakely, Sokoloff, Taylor & Zafman LLP

(310) 207-3800

Title: POSITIVE ACTIVE MATERIAL FOR RECHARGEABLE LITHIUM BATTERY AND

METHOD OF PREPARING SAME

1st Named Inventor: Ho-Jin Kweon

Application No.: 10/041,921

Docket No.: 3364P009C

Sheet: 6 of 7 "REPLACEMENT SHEET"




FIG. 25

